ҚАЗАҚСТАН РЕСПУБЛИКАСЫ ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ

ХАБАРШЫСЫ

ВЕСТНИК

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК РЕСПУБЛИКИ КАЗАХСТАН

THE BULLETIN

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN

1944 ЖЫЛДАН ШЫҒА БАСТАҒАН ИЗДАЕТСЯ С 1944 ГОДА PUBLISHED SINCE 1944





NAS RK is pleased to announce that Bulletin of NAS RK scientific journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of Bulletin of NAS RK in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential multidiscipline content to our community.

Қазақстан Республикасы Ұлттық ғылым академиясы "ҚР ҰҒА Хабаршысы" ғылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруда. Web of Science зерттеушілер, авторлар, баспашылар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабаршысының Emerging Sources Citation Index-ке енуі біздің қоғамдастық үшін ең өзекті және беделді мультидисциплинарлы контентке адалдығымызды білдіреді.

НАН РК сообщает, что научный журнал «Вестник НАН РК» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество и глубину контента для исследователей, авторов, издателей и учреждений. Включение Вестника НАН РК в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному мультидисциплинарному контенту для нашего сообщества.

Бас редакторы

х. ғ. д., проф., ҚР ҰҒА академигі

М. Ж. Жұрынов

Редакция алқасы:

Абиев Р.Ш. проф. (Ресей)

Абишев М.Е. проф., корр.-мушесі (Қазақстан)

Аврамов К.В. проф. (Украина)

Аппель Юрген проф. (Германия)

Баймуқанов Д.А. проф., корр.-мүшесі (Қазақстан)

Байпақов К.М. проф., академик (Қазақстан)

Байтулин И.О. проф., академик (Қазақстан)

Банас Иозеф проф. (Польша)

Берсимбаев Р.И. проф., академик (Қазақстан)

Велихов Е.П. проф., РҒА академигі (Ресей)

Гашимзаде Ф. проф., академик (Әзірбайжан)

Гончарук В.В. проф., академик (Украина)

Давлетов А.Е. проф., корр.-мүшесі (Қазақстан)

Джрбашян Р.Т. проф., академик (Армения)

Қалимолдаев М.Н. проф., академик (Қазақстан), бас ред. орынбасары

Лаверов Н.П. проф., академик РАН (Россия)

Лупашку Ф. проф., корр.-мүшесі (Молдова)

Мохд Хасан Селамат проф. (Малайзия)

Мырхалықов Ж.У. проф., академик (Қазақстан)

Новак Изабелла проф. (Польша)

Огарь Н.П. проф., корр.-мүшесі (Қазақстан)

Полещук О.Х. проф. (Ресей)

Поняев А.И. проф. (Ресей)

Сагиян А.С. проф., академик (Армения)

Сатубалдин С.С. проф., академик (Қазақстан)

Таткеева Г.Г. проф., корр.-мүшесі (Қазақстан)

Умбетаев И. проф., академик (Қазақстан)

Хрипунов Г.С. проф. (Украина)

Юлдашбаев Ю.А. проф., РҒА корр-мүшесі (Ресей)

Якубова М.М. проф., академик (Тәжікстан)

«Қазақстан Республикасы Ұлттық ғылым академиясының Хабаршысы».

ISSN 2518-1467 (Online), ISSN 1991-3494 (Print)

Меншіктенуші: «Қазақстан Республикасының Ұлттық ғылым академиясы»РҚБ (Алматы қ.)

Қазақстан республикасының Мәдениет пен ақпарат министрлігінің Ақпарат және мұрағат комитетінде 01.06.2006 ж. берілген №5551-Ж мерзімдік басылым тіркеуіне қойылу туралы куәлік

Мерзімділігі: жылына 6 рет.

Тиражы: 2000 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., 220, тел.: 272-13-19, 272-13-18,

www: nauka-nanrk.kz, bulletin-science.kz

© Қазақстан Республикасының Ұлттық ғылым академиясы, 2018

Типографияның мекенжайы: «Аруна» ЖК, Алматы қ., Муратбаева көш., 75.

Главный редактор

д. х. н., проф. академик НАН РК

М. Ж. Журинов

Редакционная коллегия:

Абиев Р.Ш. проф. (Россия)

Абишев М.Е. проф., член-корр. (Казахстан)

Аврамов К.В. проф. (Украина)

Аппель Юрген проф. (Германия)

Баймуканов Д.А. проф., чл.-корр. (Казахстан)

Байпаков К.М. проф., академик (Казахстан)

Байтулин И.О. проф., академик (Казахстан)

Банас Иозеф проф. (Польша)

Берсимбаев Р.И. проф., академик (Казахстан)

Велихов Е.П. проф., академик РАН (Россия)

Гашимзаде Ф. проф., академик (Азербайджан)

Гончарук В.В. проф., академик (Украина)

Давлетов А.Е. проф., чл.-корр. (Казахстан)

Джрбашян Р.Т. проф., академик (Армения)

Калимолдаев М.Н. академик (Казахстан), зам. гл. ред.

Лаверов Н.П. проф., академик РАН (Россия)

Лупашку Ф. проф., чл.-корр. (Молдова)

Мохд Хасан Селамат проф. (Малайзия)

Мырхалыков Ж.У. проф., академик (Казахстан)

Новак Изабелла проф. (Польша)

Огарь Н.П. проф., чл.-корр. (Казахстан)

Полещук О.Х. проф. (Россия)

Поняев А.И. проф. (Россия)

Сагиян А.С. проф., академик (Армения)

Сатубалдин С.С. проф., академик (Казахстан)

Таткеева Г.Г. проф., чл.-корр. (Казахстан)

Умбетаев И. проф., академик (Казахстан)

Хрипунов Г.С. проф. (Украина)

Юлдашбаев Ю.А. проф., член-корр. РАН (Россия)

Якубова М.М. проф., академик (Таджикистан)

«Вестник Национальной академии наук Республики Казахстан».

ISSN 2518-1467 (Online), ISSN 1991-3494 (Print)

Собственник: POO «Национальная академия наук Республики Казахстан» (г. Алматы)

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов Министерства культуры и информации Республики Казахстан №5551-Ж, выданное 01.06.2006 г.

Периодичность: 6 раз в год Тираж: 2000 экземпляров

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, ком. 219, 220, тел. 272-13-19, 272-13-18.

www: nauka-nanrk.kz, bulletin-science.kz

© Национальная академия наук Республики Казахстан, 2018

Editor in chief

doctor of chemistry, professor, academician of NAS RK

M. Zh. Zhurinov

Editorial board:

Abiyev R.Sh. prof. (Russia)

Abishev M.Ye. prof., corr. member. (Kazakhstan)

Avramov K.V. prof. (Ukraine)

Appel Jurgen, prof. (Germany)

Baimukanov D.A. prof., corr. member. (Kazakhstan)

Baipakov K.M. prof., academician (Kazakhstan)

Baitullin I.O. prof., academician (Kazakhstan)

Joseph Banas, prof. (Poland)

Bersimbayev R.I. prof., academician (Kazakhstan)

Velikhov Ye.P. prof., academician of RAS (Russia)

Gashimzade F. prof., academician (Azerbaijan)

Goncharuk V.V. prof., academician (Ukraine)

Davletov A.Ye. prof., corr. member. (Kazakhstan)

Dzhrbashian R.T. prof., academician (Armenia)

Kalimoldayev M.N. prof., academician (Kazakhstan), deputy editor in chief

Laverov N.P. prof., academician of RAS (Russia)

Lupashku F. prof., corr. member. (Moldova)

Mohd Hassan Selamat, prof. (Malaysia)

Myrkhalykov Zh.U. prof., academician (Kazakhstan)

Nowak Isabella, prof. (Poland)

Ogar N.P. prof., corr. member. (Kazakhstan)

Poleshchuk O.Kh. prof. (Russia)

Ponyaev A.I. prof. (Russia)

Sagiyan A.S. prof., academician (Armenia)

Satubaldin S.S. prof., academician (Kazakhstan)

Tatkeyeva G.G. prof., corr. member. (Kazakhstan)

Umbetayev I. prof., academician (Kazakhstan)

Khripunov G.S. prof. (Ukraine)

Yuldashbayev Y.A., prof. corresponding member of RAS (Russia)

Yakubova M.M. prof., academician (Tadjikistan)

Bulletin of the National Academy of Sciences of the Republic of Kazakhstan.

ISSN 2518-1467 (Online), ISSN 1991-3494 (Print)

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty)

The certificate of registration of a periodic printed publication in the Committee of Information and Archives of the

 $Ministry\ of\ Culture\ and\ Information\ of\ the\ Republic\ of\ Kazakhstan\ N\ 5551-\c X,\ issued\ 01.06.2006$

Periodicity: 6 times a year Circulation: 2000 copies

Editorial address: 28, Shevchenko str., of. 219, 220, Almaty, 050010, tel. 272-13-19, 272-13-18,

http://nauka-nanrk.kz/, http://bulletin-science.kz

© National Academy of Sciences of the Republic of Kazakhstan, 2018

Address of printing house: ST "Aruna", 75, Muratbayev str, Almaty

BULLETIN OF NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN ISSN 1991-3494

Volume 2, Number 372 (2018), 17 – 21

UDC 615.262.1

K. D. Rakhimov¹, A. A. Turgumbayeva¹, G. O. Ustenova¹, Zh. B. Abuova², Samir A. Ross³

¹Asfendiyarov Kazakh National Medical University, Almaty, Kazakhstan, ²Kazakh Medical University of Continuing Education, Kazakhstan, ³University of Mississippi, USA.

E-mail: kdrakhimov@inbox.ru ustenova@list.ru aknurik_88@mail.ru zhanar90kz@mail.ru sross@olemiss.edu

STUDY OF SAFETY AND ANTIMICROBIAL, ANTI-INFLAMMATORY AND ANTI-INFLAMMATORY PROPERTIES OINTMENT FROM THE SAFFLOWER EXTRACT

Abstract. The objects of study were samples of CO_2 -extract, obtained from the flowers of safflower (*Carthamus tinctorius L.*), collected in the flowering stage. Dried plant material (safflower flowers) collected in the summer, subjected to treatment and disposal of mechanical impurities, drying and then grinding to hyperfine state. Harvesting plants was made on the the territory of Almaty region. We have developed an antimicrobial, anti-inflammatory and wound-healing ointment from the flowers of safflower of the Kazakh species "Ak May". Pre-clinical studies were conducted to determine safety and study the pharmacodynamics of ointments.

Key words: flowers safflower, CO₂-extract, *Carthamus tinctorius L.*, preclinical studies.

The genus *Carthamus* from the Asteraceae family comprises 16 recognized species [10]. *C. tinctorius* is the only cultivated species of this genus, but the others are either wild or weeds. *Carthamus tinctorius L* as one of the wild species is widespread in Turkey, subtropical regions of western Iraq, Iran, Northwest India, throughout Kazakhstan, Turkmenistan, and Uzbekistan. It contains a high amount of polyunsaturated fatty acid linoleic acid (70%) and monounsaturated oleic acid (10%) with small amounts of stearic acid. The flowers of *C. tinctorius* are an important medicinal material in prescriptions used for cardiovascular, cerebrovascular and gynecological diseases. Pharmacopoeia raw materials abroad are flowers and seeds of safflower (European famakopeya, British Herbal Pharmacopoeia, Chinese Pharmacopoeia) (Turgumbayeva A.A., Ustenova G.O., Samir A. Ross, 2014) [5].

Safflower oil normalizes cellular functions, improves blood circulation, has anti-inflammatory action, high moisture-retaining and moisture-regulating ability. In addition, safflower oil serves as an active conductor of other components in the deeper layers of the skin and skin of the eyelids.

Oil and extract from safflower normalizes cellular functions, improves blood circulation, has antiinflammatory action, high moisture-retaining and moisture-controlling ability.

The high content of tocopherol and other flavonoids in the extract from the flowers of safflower grown in Kazakhstan open up prospects of application in the development of medicinal, cosmetic and ophthalmological means.

Objects of the study served as CO₂ samples - the extract obtained from flowers subcritical conditions safflower (Carthamus tinctorius L.), collected in the flowering stage. Dry vegetable raw materials (flowers) collected in summer, processed and removal of mechanical impurities, drying, then grinding in a ball mill (flowers - up to 4-6 mm particles). Harvesting plants was carried out on the territory of Almaty oblast. CO₂-extraction at a pressure of 60 atm. and 22 ° C in carbon dioxide, a brown extract was obtained.

An ointment of essential oil the from safflower flowers grown Kazakhstan: for creating ointment of flowers safflower (*Carthamus tinctorius L.*) optimum composition of the excipients. So several models were created ointment bases - emulsion, a slurry, combined with application of various the excipients - sunflower oil, glycerol, paraffin oil, lanolin, etc., Emulsifiers - Tween-80, T-2 and others. The most effi-

cient composition of the technological parameters was ointment base with the following composition: essential oil obtained from the flowers of safflower, sunflower oil, T-2, Purified Water and peppermint oil.

Obtained an experimental industrial series of ointment based medicinal vegetative raw materials ($Carthamus\ tinctorius\ L$). Development of an optimal composition and rational technology medicinal products based on essential oil obtained from the flowers of safflower, - sunflower oil, emulsifiers T-2 and others. has antimicrobial, anti-inflammatory, regenerative, curative effect (Turgumbayeva A. A., Ustenova G.O., Rakhimov Kh.D.) [6].

The study of safety, local irritating and allergic action of the ointment was carried out using methods, described in the Manual on experimental study of new pharmacological substances Khabrieva RU [7].

Acute toxicity was assessed on non-native white mice (weight 18-25 g), which fasting once orally administered into the stomach using a special probe extract concentrate in an amount of 500 mg / kg. Before the introduction of the required amount of the test agents dissolved in DMSO (1:10). All animals remained alive, so the dose was increased (500, 1000, 2000) according to the mass of mice. The study was performed on 30 mice at a time. Each dose was tested in acute experiments for 6 animals. Within 2 hours after the administration of the drug, the clinic of intoxication was constantly monitored, then the observation was carried out at the end of the working day, daily. The follow-up period was 14 days. During this time, the state of the animals was evaluated (frequency and depth of breathing, drowsiness, inhibition of reactions, coordination of movements, cyanosis of ears and tail, convulsions, water and feed intake, change in body weight, frequency of urination, amount, reaction to tactile, pain, sound and light stimuli, etc.).

Name of substance	Doses of substances, mg											
	500		1000		2000		3000		4000		5000	
	d	1	d	1	d	1	d	1	d	1	d	1
1	2		3		4		5		6		7	
Extract of safflower	0	6	0	6	0	6	0	6	0	6	0	6
Note. d – de	ead animal	ls, 1 – liv	e animals	S.	ı	I			I			

Table 1 – Effect doses of concentrate on experimental animals in the determination of "acute" toxicity

As seen from the table, when administered various doses of the concentrate of 500 to 5000 mg/kg all animals survived.

The study of acute toxicity showed the absence of a pathological character of the changes in general indicators throughout the study period. Animals in all groups remained active, there were no cases of death or intoxication, no change in the respiratory, cardiovascular, central nervous systems. The condition of the hair, mucous membranes is unchanged. Consumption of food and water in the previous regime. There were no cases of animals among the animals, so the definition of LD50 was not possible.

Thus, the substances under study, when administered orally, did not exert a toxic effect on the animal organism. For the organism of experimental animals safflower extract concentrate according to the conventional combined tab toxicity classes Holden and Sterner - is harmless.

The study acute toxicity study ointment

Acute toxicity study ointment is studied in experimental animals for their skin-resorptive effect. Experiments were put on 24 rats weighing 200-260 g (6 animals in each group - separate males and females). They used the method of application of the tail. For the one half of the animals used ointment anticipated therapeutic dose (1.36 g to 100.0 drug concentrate), and for the other - agents containing concentrate 2-fold greater (2.72 g 100.0 concentrate preparation),

lubricants daily once, for 2 weeks. Pay attention to the presence of local reactions at the application site means (in the form of redness, swelling) of the outer cover of the tail of rats.

Results of the experiments showed the absence of pathological changes in the nature of general and specific indicators over the entire study period. Animals in all groups remained active, there was no case of death or poisoning.

So topical application of an effective and maximum doses of means did not have toxic effect, both common and local character. For the organism of experimental animals developed ointment is harmless.

Before the experiment, the animals were two-week quarantine on a standard ration the vivarium. To study the local irritating action used the method of skin applications. Experiments were used the guinea pigs weighing 300-400 g (15 animals, 3 groups). On clipped and depilate area of skin side surface of the trunk of guinea pigs, closer to the middle of the trunk was applied 500 mg. The ointment was applied for 2 weeks to 5 times a week. We take into account the reaction of the skin on a daily basis on the scale of evaluation of the skin tests. The reaction was observed on the outer surface of the skin or by means line calorimeter. Suvorov after 24 hours and evaluation in points on the following scale:

- -0 no visible reaction;
- 1 pale pink erythema around the area or its periphery;
- 2 bright pink erythema around the portion or its periphery;
- 3 red erythema throughout the site;
- 4 infiltration and skin edema (thickening of the skin folds) in the presence or absence of erythema.

During the whole experience of research on local irritating effect showed that the application of ointments on the clipped and depilate area of skin of guinea pigs does not irritate the skin and does not affect the general condition of the animals (body temperature, the dynamics of body weight). The study allergenic effect The study allergenic effect ointment carried out by the conjunctival samples of 6 rabbits (weight 3.0-4.0 kg). For this using a syringe in the transition zone mucosal century and globe eye rabbits were injected with 1000 mg of ointment into the other eye (control) were administered placebo ointment. The reactions take account after 15 minutes (fast reactions) and 24-48 hours (hypersensitivity) and delayed type evaluated on the following scale (in points):

- 1 -slight reddening tear duct;
- 2 redness and sclera tear duct in a direction towards the cornea;
- 3 redness of the conjunctiva and sclera whole.

No signs of allergenic effect (hyperemia, swelling, and others.) From the skin and mucous membranes showed no sensitization to components of ointment.

Results of the experiments showed the absence of pathological changes in the nature of general and specific indicators over the entire study period. Animals in all groups remained active, there was no case of death or poisoning. So topical application of an effective and maximum doses of means did not have toxic effect, both common and local character. For the organism of experimental animals developed ointment is harmless.

Conclusions. From the result of the study, it could be concluded that the safflower collected from the Southern region of Kazakhstan is one of the best genotype available. *Carthamus tinctorius* is regarded as a valuable plant in Kazakh system of medicine, Chinese medicine and modern drug development areas for its versatile medicinal uses. The aim was designed to study the biological activity and chemical composition of volatile oil of *Carthamus tinctorius L*.

Applying the method of CO_2 -extraction on a laboratory extractor for 45-60 minutes at a pressure of 60 atm. and 22 $^{\circ}$ C in carbon dioxide gas produced a brown extract of safflowers flowers.

Theoretically and experimentally, the composition and technology of the ointment was developed to meet the requirements of Pharmacopoeia of the Republic of Kazakhstan. The composition of the ointments is represented by the ingredients: sunflower oil, T-2 and mint oil, purified water.

Studies on animals (rabbits, guinea pigs, white rats) showed harmlessness, good tolerability.

In comparison with other studies in this area, since the flowers of safflower grown in Kazakhstan, with a large stock of raw materials in Kazakhstan are used as ornamental plants, have not previously been studied in the territory Republic of Kazakhstan.

REFERENCES

[1] Bae C.S., Park C.H., Cho H.J., Han H.J., Kang S.S. Therapeutic effects of safflower (*Carthamus tinctorius L.*) seed powder on osteoporosis. Korean J Electron Microscopy // Choi SH., et al. **2002**. P. 285-290. (In Eng.)

[2] Li X.F. Study on chemical constituents of Carthamus tinctorius / X.F. Li, X.R. Hu, Z. Dai // Zhang Y Zhong Yao Cai. **2012**. Vol. 35, N 10. P. 1616 -1619. (In Eng.)

- [3] Asgarpanah J. Phytochemistry, pharmacology and medicinal properties of *Carthamus tinctorius L.* / J. Asgarpanah, N. Kazemivash // Chin J Integr Med. **2013**. Vol. 19, N 2. P. 153-159. (In Eng)
- [4] Jin Y. Characterization of C-glycosyl quinochalcones in Carthamus tinctorius L. by ultraperformance liquid chromatography coupled with quadrupole-time-of-flight mass spectrometry / Y. Jin, X.L. Zhang, H. Shi, Y.S. Xiao // Rapid Commun Mass Spectrom. 2008. Vol. 22, N 8. P. 1275-1287 (In Eng)
- [5] Turgumbayeva A. A., Ustenova G.O., Samir A.Ross Physicochemical Properties Of Oils Produced From The Carthamus Tinctorius L Seeds And The Flowers Grown In Kazakhstan. Scientific and Practical Results in 2014. Prospects for Their Development International Scientific And Practical Conference. World Science. December 22-24, **2014**. Vol. 1. P. 135-139 (In Eng)
- [6] Turgumbayeva A.A., Ustenova G.O., Rakhimov Kh.D. Phytochemistry and Pharmacological Activities of Safflower *Carthamus Tinctorius L.* Planta Medical. International Conference on the Science of Botanicals. Plant Med. **2016**. 82 PC 80 (In Eng)
- [7] Khabriev R.U. Guide to experimental (preclinical) study of new pharmacological substances / Khubriev RU. Ed. 2. M., **2005** (In Russ)
- [8] Kang G.H. Antioxidative activity of phenolic compounds in roasted safflower (*Carthamus tinctorius L.*) seeds / G.H. Kang, E.J. Chang, S.W. Choi // Journal of Food Sciences and Nutrition. **1999**. Vol. 4, N 1. P. 221-225. (In Eng)
- [9] Pertsev I.M., Kotenko A.M., Chueshov O.V., Khaleeva E.L. Pharmaceutical and biological aspects of ointments // «Golden Pages». 2003. 278 p. (In Russ)
- [10] Under the editorship of Mironov A.N. A guide to preclinical drug research // Part One. M.: Grief and K, 2012. 944 p. (In Russ)
- [11] Thomas S., Chen K., Attas A. Pharmacognostic and Phytochemical studies on aerial parts of Alhagi maurorum Medik // Hamdard Medicus. **2001**. N 3. P. 57-71. (In Eng)
- [12] Sokolov S.Ya. Phytotherapy and phytopharmacology // A guide for doctors med. inf. agency. M.: Science, **2000**. 970 p. (In Russ)
- [13] Belousov Y.B., Leonova M.V., Belousov D.Yu. and others. the Basics of clinical pharmacology and rational pharmacotherapy. A guide for practitioners / edited by Y. B. Belousov, M. V. Leonova. M.: Bionics, **2002**. (In Russ)
- [14] Kukes V.G., Starodubtsev A.K. Clinical pharmacology and pharmacotherapy. M.: GEOTAR-MED, 2003. P. 631. (In Russ)
- [15] Malashenko N.L. // Technological and economic strategy of production and application of CO2-extracts // Scientific journal of KubSAU. **2012**. N 81(07). (In Russ)
 - [16] Kansky J. Clinical ophthalmology. A systematic approach. 2009. P. 944 (In Russ)
 - [17] Brovkina A.F., Astakhova Yu.S. Guide to Clinical Ophthalmology. M., 2014. P. 960 (In Russ)
 - [18] Rakhimov K.D. Pharmacology. 2017. P. 553 (In Kaz)
 - [19] Kopaeva V.G. Eye diseases. Fundamentals of ophthalmology. M., 2012. P. 56 (In Russ)
 - [20] Rakhimov K.D. Pharmacology natural drugs. Almaty, 2014. P. 483 (In Kaz)
- [21] Suleeva B.O., Rakhimov K.D., Teleuova T.S., Abuova Zh.B. Drugs used in ophthalmology. Almaty, 2016. P. 72 (In Russ)
 - [22] Egorov E.A., Astakhov Yu.S., Stavitskaya T.V. Ophthalmopharmacology, M., 2009. P. 592 (In Russ)
 - [23] Rakhimov K.D., Abuova Zh.B. Clinical pharmacology handbook Almaty, 2017. P. 424 (In Kaz)
 - [24] Rakhimov K.D., Clinical pharmacology pharmacy. Almaty, 2018. P. 572 (In Kaz)

К. Д. Рахимов¹, А. А. Тургумбаева¹, Г. О. Устенова¹, Ж. Б. Абуова², Самир А. Росс³

¹Казахский национальный медицинский университет им. С. Ж. Асфендиярова, Алматы, Казахстан, ²Казахский Медицинский Университет Непрерывного Образования, Казахстан, ³Университет Миссисипи, США

ИЗУЧЕНИЕ БЕЗОПАСНОСТИ И АНТИМИКРОБНЫХ, ПРОТИВОВОСПАЛИТЕЛЬНЫХ, РАНОЗАЖИВЛЯЮЩИХ СВОЙСТВ МАЗИ ИЗ ЭКСТРАКТА САФЛОРА

Аннотация. Объектами исследования послужили образцы CO₂-экстракта, полученные из цветков сафлора (*Carthamus tinctorius L.*), собранных в фазу цветения. Сухое растительное сырье (цветки сафлоры) собрано летом, подвергнуто обработке и удалению механических примесей, сушке, затем измельчению до сверхтонкого состояния. Заготовка растения производилась на территории Алматинской области. Нами был разработан антимикробный, противовоспалительный и ранозаживляющих мазь из цветков сафлора казах-

станского вида «Ак Май». Провели доклинические исследования для определение безопасности и изучение фармакодинамику мазей.

Ключевые слова: цветки сафлор, CO_2 -экстракта, Carthamus tinctorius L., доклинические исследования.

К. Д. Рахимов¹, А.А.Тургумбаева¹, Г. О. Устенова¹, Ж. Б. Абуова², Самир А. Росс³

¹С. Ж. Асфендияров атындағы Қазақ ұлттық медициналық университеті, Алматы, Қазақстан, ²Қазақ медициналық үздіксіз білім беру университеті, Қазақстан, ³Миссисипи университеті, АҚШ

САФЛОРА СЫҒЫНДЫСЫНАН ЖАСАЛҒАН ЖАҚПАМАЙДЫҢ МИКРОБҚА ҚАРСЫ, ҚАБЫНУҒА ҚАРСЫ, ЖАРАНЫ ЖАЗАТЫН ӘСЕРЛЕРІН ЖӘНЕ ҚАУІПСІЗДІГІН ЗЕРТТЕУ

Аннотация. Зерттеу объектісі ретінде гүлдеу уақытында алынған сафлора гүлдерінің (*Carthamus tinctorius L.*) CO_2 -сығындысы үлгілері қарастырылды. Жазда жиналған құрғақ өсімдік шикізаты (сафлора гүлдері), өңделді және механикалық қоспалардан тазартылды, кептіріліп, ұнтақталды. Өсімдік Алматы облысында дайындалды. Біз сафлора гүлдерінің қазақстандық «Ак Май» түрінен микробқа қарсы, қабынуға қарсы және жараны жазатын жақпамайын жасадық. Жақпамайдың қауіпсіздігін және фармакодинамикалық қасиеттерін анықтау үшін клиникаға дейінгі зерттеу жүргіздік.

Түйін сөздер: сафлора гүлдері, CO_2 -сығындысы, *Carthamus tinctorius L.*, клиникаға дейнгі зерттеулер.

Сведения об авторах:

Рахимов К.Д. – заведующий кафедрой клинической фармакологии КазНМУ им. С. Ж. Асфендиярова, академик НАН РК, kdrakhimov@inbox.ru

Устенова Г.О. – профессор кафедры фармация КазНМУ им. С. Ж. Асфендиярова, ustenova@list.ru Тургумбаев А.А. – PhD КазНМУ им. С. Ж. Асфендиярова, aknurik 88@mail.ru

Абуова Ж.Б. – врач-резидент офтальмолог KasMУHO, zhanar90kz@mail.ru

Samir Ross. – профессор Университета Миссисипи, США, sross@olemiss.edu

Publication Ethics and Publication Malpractice in the journals of the National Academy of Sciences of the Republic of Kazakhstan

For information on Ethics in publishing and Ethical guidelines for journal publication see http://www.elsevier.com/publishingethics and http://www.elsevier.com/journal-authors/ethics.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis electronic preprint, or see http://www.elsevier.com/postingpolicy), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service http://www.elsevier.com/editors/plagdetect.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайте:

www:nauka-nanrk.kz
ISSN 2518-1467 (Online), ISSN 1991-3494 (Print)
http://www.bulletin-science.kz/index.php/ru/

Редакторы М. С. Ахметова, Т. М. Апендиев, Д. С. Аленов Верстка на компьютере Д. Н. Калкабековой

Подписано в печать 06.03.2018. Формат 60х881/8. Бумага офсетная. Печать – ризограф. 14,2 п.л. Тираж 500. Заказ 2.