

ISSN 2518-1467 (Online),
ISSN 1991-3494 (Print)

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ

Х А Б А Р Ш Ы С Ы

ВЕСТНИК

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН

THE BULLETIN

THE NATIONAL ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN

PUBLISHED SINCE 1944

3

MAY – JUNE 2019

ALMATY, NAS RK

NAS RK is pleased to announce that Bulletin of NAS RK scientific journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of Bulletin of NAS RK in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential multidiscipline content to our community.

Қазақстан Республикасы Ұлттық ғылым академиясы "ҚР ҰҒА Хабаршысы" ғылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруда. Web of Science зерттеушілер, авторлар, баспашылар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабаршысының Emerging Sources Citation Index-ке енуі біздің қоғамдастық үшін ең өзекті және беделді мультидисциплинарлы контентке адалдығымызды білдіреді.

НАН РК сообщает, что научный журнал «Вестник НАН РК» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество и глубину контента для исследователей, авторов, издателей и учреждений. Включение Вестника НАН РК в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному мультидисциплинарному контенту для нашего сообщества.

Б а с р е д а к т о р ы

х. ғ. д., проф., ҚР ҰҒА академигі

М. Ж. Жұрынов

Р е д а к ц и я а л қ а с ы:

Абиев Р.Ш. проф. (Ресей)
Абишев М.Е. проф., корр.-мүшесі (Қазақстан)
Аврамов К.В. проф. (Украина)
Аппель Юрген проф. (Германия)
Баймуқанов Д.А. проф., корр.-мүшесі (Қазақстан)
Байтулин И.О. проф., академик (Қазақстан)
Банас Иозеф проф. (Польша)
Берсимбаев Р.И. проф., академик (Қазақстан)
Велесько С. проф. (Германия)
Велихов Е.П. проф., РҒА академигі (Ресей)
Гашимзаде Ф. проф., академик (Әзірбайжан)
Гончарук В.В. проф., академик (Украина)
Давлетов А.Е. проф., корр.-мүшесі (Қазақстан)
Джрбашян Р.Т. проф., академик (Армения)
Қалимолдаев М.Н. проф., академик (Қазақстан), бас ред. орынбасары
Лаверов Н.П. проф., академик РАН (Россия)
Лупашку Ф. проф., корр.-мүшесі (Молдова)
Мохд Хасан Селамат проф. (Малайзия)
Мырхалықов Ж.У. проф., академик (Қазақстан)
Новак Изабелла проф. (Польша)
Огарь Н.П. проф., корр.-мүшесі (Қазақстан)
Полещук О.Х. проф. (Ресей)
Поняев А.И. проф. (Ресей)
Сагиян А.С. проф., академик (Армения)
Сатубалдин С.С. проф., академик (Қазақстан)
Таткеева Г.Г. проф., корр.-мүшесі (Қазақстан)
Умбетаев И. проф., академик (Қазақстан)
Хрипунов Г.С. проф. (Украина)
Юлдашбаев Ю.А. проф., РҒА корр.-мүшесі (Ресей)
Якубова М.М. проф., академик (Тәжікстан)

«Қазақстан Республикасы Ұлттық ғылым академиясының Хабаршысы».

ISSN 2518-1467 (Online),

ISSN 1991-3494 (Print)

Меншіктенуші: «Қазақстан Республикасының Ұлттық ғылым академиясы»РҚБ (Алматы қ.)

Қазақстан республикасының Мәдениет пен ақпарат министрлігінің Ақпарат және мұрағат комитетінде
01.06.2006 ж. берілген №5551-Ж мерзімдік басылым тіркеуіне қойылу туралы куәлік

Мерзімділігі: жылына 6 рет.

Тиражы: 2000 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., 220, тел.: 272-13-19, 272-13-18,
<http://www.bulletin-science.kz/index.php/en/>

© Қазақстан Республикасының Ұлттық ғылым академиясы, 2019

Типографияның мекенжайы: «Аруна» ЖК, Алматы қ., Муратбаева көш., 75.

Г л а в н ы й р е д а к т о р
д. х. н., проф. академик НАН РК
М. Ж. Журинов

Р е д а к ц и о н н а я к о л л е г и я:

Абиев Р.Ш. проф. (Россия)
Абишев М.Е. проф., член-корр. (Казахстан)
Аврамов К.В. проф. (Украина)
Апель Юрген проф. (Германия)
Баймуканов Д.А. проф., чл.-корр. (Казахстан)
Байтулин И.О. проф., академик (Казахстан)
Банас Иозеф проф. (Польша)
Берсимбаев Р.И. проф., академик (Казахстан)
Велесько С. проф. (Германия)
Велихов Е.П. проф., академик РАН (Россия)
Гашимзаде Ф. проф., академик (Азербайджан)
Гончарук В.В. проф., академик (Украина)
Давлетов А.Е. проф., чл.-корр. (Казахстан)
Джрбашян Р.Т. проф., академик (Армения)
Калимолдаев М.Н. академик (Казахстан), зам. гл. ред.
Лаверов Н.П. проф., академик РАН (Россия)
Лунашку Ф. проф., чл.-корр. (Молдова)
Моход Хасан Селамат проф. (Малайзия)
Мырхалыков Ж.У. проф., академик (Казахстан)
Новак Изабелла проф. (Польша)
Огарь Н.П. проф., чл.-корр. (Казахстан)
Полещук О.Х. проф. (Россия)
Поняев А.И. проф. (Россия)
Сагиян А.С. проф., академик (Армения)
Сатубалдин С.С. проф., академик (Казахстан)
Таткеева Г.Г. проф., чл.-корр. (Казахстан)
Умбетаев И. проф., академик (Казахстан)
Хрипунов Г.С. проф. (Украина)
Юлдашбаев Ю.А. проф., член-корр. РАН (Россия)
Якубова М.М. проф., академик (Таджикистан)

«Вестник Национальной академии наук Республики Казахстан».

ISSN 2518-1467 (Online),

ISSN 1991-3494 (Print)

Собственник: РОО «Национальная академия наук Республики Казахстан» (г. Алматы)

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов Министерства культуры и информации Республики Казахстан №5551-Ж, выданное 01.06.2006 г.

Периодичность: 6 раз в год

Тираж: 2000 экземпляров

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, ком. 219, 220, тел. 272-13-19, 272-13-18.

www: nauka-nanrk.kz, bulletin-science.kz

© Национальная академия наук Республики Казахстан, 2019

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75

E d i t o r i n c h i e f

doctor of chemistry, professor, academician of NAS RK

M. Zh. Zhurinov

E d i t o r i a l b o a r d:

Abiyev R.Sh. prof. (Russia)
Abishev M.Ye. prof., corr. member. (Kazakhstan)
Avramov K.V. prof. (Ukraine)
Appel Jurgen, prof. (Germany)
Baimukanov D.A. prof., corr. member. (Kazakhstan)
Baitullin I.O. prof., academician (Kazakhstan)
Joseph Banas, prof. (Poland)
Bersimbayev R.I. prof., academician (Kazakhstan)
Velesco S., prof. (Germany)
Velikhov Ye.P. prof., academician of RAS (Russia)
Gashimzade F. prof., academician (Azerbaijan)
Goncharuk V.V. prof., academician (Ukraine)
Davletov A.Ye. prof., corr. member. (Kazakhstan)
Dzhrbashian R.T. prof., academician (Armenia)
Kalimoldayev M.N. prof., academician (Kazakhstan), deputy editor in chief
Laverov N.P. prof., academician of RAS (Russia)
Lupashku F. prof., corr. member. (Moldova)
Mohd Hassan Selamat, prof. (Malaysia)
Myrkhalykov Zh.U. prof., academician (Kazakhstan)
Nowak Isabella, prof. (Poland)
Ogar N.P. prof., corr. member. (Kazakhstan)
Poleshchuk O.Kh. prof. (Russia)
Ponyaev A.I. prof. (Russia)
Sagiyani A.S. prof., academician (Armenia)
Satubaldin S.S. prof., academician (Kazakhstan)
Tatkeyeva G.G. prof., corr. member. (Kazakhstan)
Umbetayev I. prof., academician (Kazakhstan)
Khripunov G.S. prof. (Ukraine)
Yuldashbayev Y.A., prof. corresponding member of RAS (Russia)
Yakubova M.M. prof., academician (Tadjikistan)

Bulletin of the National Academy of Sciences of the Republic of Kazakhstan.

ISSN 2518-1467 (Online),

ISSN 1991-3494 (Print)

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty)

The certificate of registration of a periodic printed publication in the Committee of Information and Archives of the Ministry of Culture and Information of the Republic of Kazakhstan N 5551-Ж, issued 01.06.2006

Periodicity: 6 times a year

Circulation: 2000 copies

Editorial address: 28, Shevchenko str., of. 219, 220, Almaty, 050010, tel. 272-13-19, 272-13-18,
<http://nauka-nanrk.kz/>, <http://bulletin-science.kz>

© National Academy of Sciences of the Republic of Kazakhstan, 2019

Address of printing house: ST "Aruna", 75, Muratbayev str, Almaty

**B. Bimbetov¹, A. Zhangabylov², S. Aitbaeva³, V. Benberin¹, H. Zollmann⁴,
A. Musaev⁵, M. Rakhimzhanova⁵, G. Esnazarova², A. Bakytzhanuly³, N. Malaeva¹**

¹RSE "Hospital of the Medical Center" of the Department of Affairs
President of the Republic of Kazakhstan, Nur-Sultan, Kazakhstan,

²Kazakhstan-Russian Medical University, Almaty, Kazakhstan,

³JSC "Medical University of Astana", Nur-Sultan, Kazakhstan,

⁴"Kurgestüt Hoher Odenwald", Waldbrunn-Mülben, Germany,

⁵S. D. Asfendiyarov Kazakh National Medical University, Almaty, Kazakhstan,

⁶Corporate found of "University Medical Center", Nur-Sultan, Kazakhstan.

E-mail: bimbetov2010@mail.ru; czhanak@mail.ru; s.potai95@mail.ru; valeriy-benberin@mail.ru;

h.zollmann@kurgestuet.de; musaev.dr@mail.ru; rakhimzhanova.m@gmail.com;

esnazarova54@gmail.com; mantitort@mail.ru; nazga888@mail.ru;

MARE'S MILK: THERAPEUTIC AND DIETARY PROPERTIES (Review article)

Abstract. The review article is devoted to therapeutic and dietary properties of mare's milk. Literature review is carried out, historical facts of application of this product at various diseases and conditions are resulted, qualitative composition of milk and the research conducted by foreign and domestic authors about application of mare's milk medical-dietical product are described. Large-scale production of sublimated pasteurized mare's milk in Kazakhstan will give a new impetus to the expansion of clinical trials in various aspects and the use of this product with a long shelf life.

Keywords: mare's milk, therapeutic and dietary properties of mare's milk, sublimated mare's milk.

The unique health-improving properties of mare's milk and its derivatives have been known to people for a long time. Since ancient times, nomads called fresh mare's milk "Saumal" (Saumal in Kazakh language means fresh, paired milk). In addition to traditions and legends, confirmation of the unique beneficial properties of mare's milk and its derivatives are noted in ancient chronicles and medical treatises of Hippocrates and Abu Ali Ibn Sina, known in the west as Avicenna [1].

A team of British archaeologists reported that horses were domesticated a millennium earlier than previously thought. It was about 3500 BC on the territory of northern Kazakhstan. Scientists have found traces of mare's milk fat on ceramic dishes, which is proof that they even then used mare's milk as food. Saumal was not only drink by adults, but it also given to children. No only adults drunk Saumal, but it was also given to children [2, 3].

It was considered a healing and sacred product 3000 years ago in China. Hippocrates (circa 460-377 BC) also attributed the product its therapeutic properties, in particular, he considered it an effective remedy for consumption, i.e. tuberculosis. In the East, it was called "medicine blessed by Allah." Avicenna noted the healing effect and properties of mare's milk, together with its "amazing similarity to human nature" [1].

Legend has it that Cleopatra bathed in donkey's milk to soften and whiten her skin [4]. Recently, scientists have discovered that donkey milk is indistinguishable from mare. "Mare's milk is the strength of my warriors, the beauty of my women and the health of my children," said Genghis Khan [4]. There was even a special order issued by Chinghiz Khan: when his soldiers went on a campaign, they had to take two

water skins with them: with milk and koumiss. They drunk koumiss and added milk, which immediately began to ferment [5].

European literature considers mare's milk as a balm for digestive problems, an elixir for the liver, and a tonic for general malaise. It is a healthy food, which can reduce or completely prevent the symptoms of many diseases. It strengthens the body, boosts immunity, increases energy and stamina, which provides a better quality of life [4].

The value of the product is determined, first of all, by its chemical composition similar to that of maternal breast milk [4, 5]. In the 19th century, Russian doctor A.A. Ostoromov believed that mare's milk, as approaching in its composition to breast milk, is better assimilated. This is the basis for breastfeeding infants with mare's milk. During the Great Patriotic War in the sanatorium "Mtsyri" it was used to feed infants [6].

Freshly milked mare milk is a natural food product of bluish-white color, with a neutral reaction (pH 7.0-7.2), slightly tart and sweet taste, possessing high dietary and medical properties. In terms of protein quality, mare's milk, like breast milk, belongs to the so-called "albumin milk" because of the high content of albumin in relation to casein, according to different data, respectively, an average of 45:55, while in cow's milk this ratio is 15:85. Therefore, the coagulation of mare's milk does not form a dense clot, the protein falls into the sediment in the form of delicate small flakes [1].

The composition of mares' milk varies throughout the year and depends on the stage of lactation, feeding conditions and maintenance, as well as a number of other external factors, and is most complete in midsummer [1].

The total amount of protein in mare's milk is equal to 1.85-2.20%, and casein of mare's milk, unlike cow's milk, is easily dissolved in water, which indicates better digestibility, absorption and digestibility [1,4]. In addition, mare's milk proteins are well balanced in terms of amino acid composition, and there is no allergic reaction to it [7,8]. The amino acid composition of mare's milk is presented in table 1.

Table 1 – Amino Acid Composition of Mare's Milk Proteins

Indicators	Content (g/100 g protein)
Total Protein	1,93
<i>Essential Amino Acids:</i>	37,62
Lysine	8,24
Threonine	4,81
Valin	5,88
Methionine	0,65
Isoleucine	5,14
Leucine	7,56
Phenylalanine	5,34
<i>Nonessential Amino Acids:</i>	62,38
Histidine	2,72
Arginine	9,45
Asparagic acid	9,64
Serine	6,44
Glutamic acid	15,30
Prolene	7,20
Glycine	2,14
Alanine	4,63
Cystine	следы
Tyrosine	5,86
Total Amino Acids	100,00

Mare's milk also contains lactoferrin, lysozyme and immunoglobulin. Lysozyme and lactoferrin, which are components of the body's immune system, protect against pathogens and destroy them in the milk itself and the digestive system. In particular, lysozyme, which is 5% of total protein, plays a decisive role in the bactericidal action of mare's milk. In contrast, cow's milk contains six times less lysozyme. The content of lysozyme (mg / 100 ml): mare's milk - 80, breast milk - 50, cow's - 13. In addition to its enzymatic effect, lysozyme has anti-inflammatory, antiviral, immunostimulating, antitumor and anti-cancer properties [9, 10].

The study of lysozyme and amylase content in mare's milk showed their identity in breast milk, and in cow's milk, there were only traces of them (table 2) [1, 4, 10].

Table 2 – Enzyme Composition of Milk

Dairy Product	Lysozyme, mg/l	Amylase, unit.
Breast Milk	60–250	26–98
Mare's Milk	64–126	32–64
Cow's Milk	Traces	–

In addition to lysozyme, mare's milk also contains other enzymes: amylase, catalase, lipase, peroxidase, phosphatase, malate and lactate dehydrogenase, lactotransferrin, which contribute to the digestive process and support the body's defense system. Lactoferrin in milk has an antibacterial and antioxidant effect, as well as a positive effect on inflammation and has an immunoregulatory function [9, 10].

Immunoglobulins – proteins of complex structure, which perform the function of immune protection of the body. Depending on the structure and properties of the immunoglobulin (Ig) contained in milk, divided into 5 main classes: Ig D, Ig E, Ig M, Ig A, Ig G. Milk is dominated by the fractions of the last three classes, which neutralize by viruses and toxins, prevent the fixation of bacteria on the surface of the epithelium and activate leukocyte phagocytosis [9,10]. The content of different Ig in milk varies and depends on the type of mammal, its age and other factors. For example, mare's milk contains about 20% Ig, which is 1% more than breast milk [10].

The composition of fat in mare's milk also differs in a number of ways. The fat of mare's milk is characterized by a higher biological value than that of cow's milk. Nutritionists have found that the lower the melting point of fat, the more fully it is absorbed and digested (the melting point of mare's milk's fat is 30 ° C, and of cow's milk's is 34 ° C). The fat of mare's milk is not stable, it is quickly oxidized and has a relatively high iodine number (Gyuble number) - 71.5. The iodine number of cow's milk varies between 25 and 35, depending on the type of feed, which also indicates the high therapeutic value of mare's milk lipids [11, 12].

All the above properties of mare's milk are conditioned by the fact that the fatty balls contained in it are rich in polyunsaturated acids (PUFAs), which are mainly represented by the essential fatty acids linolenic and linoleic. Their specific weight in the total fat molecule is 10-12%. Table 3 shows that these acids predominate in mare's milk, and then in breast milk. They are essential fatty acids and are not synthesized in the human body, and enter the body only with food [10, 11, 13].

Of the mono- and polyunsaturated fatty acids, the highest content in mare's milk was linoleic, linolenic, oleic, and palmitic acids (table 3).

Table 3 – PUFA Content of Different Types of Milk (in % of total fatty acids)

	Breast Milk	Mare's Milk	Cow's Milk
Linoleic Acid	13,0	14,9	2,4
Linolenic Acid	1,4	12,6	0,8

The content of monounsaturated fatty acids (MUFAs) is approximately equally represented in breast and mare's milk (table 4). MUFAs are partially synthesized in the human body. However, for the full course of metabolic processes, it is important to eat them daily with food [13, 14].

Table 4 – The content of monounsaturated fatty acids in various types of milk (in % to the total amount of fatty acids)

	Breast Milk	Mare's Milk	Cow's Milk
Palmitoleic Acid	5,7	7,8	2,3
Oleic Acid	46,4	20,9	29,8

The content of saturated fatty acids (SFAs) is higher in cow's milk than in mare's and breast milk (table 5).

Table 5 –Milk content of MFR in different types of milk (in % of total fatty acids)

	Breast Milk	Mare's Milk	Cow's Milk
Oil Acid	—	—	3,3
Capron Acid	traces	traces	1,6
Caprylic Acid	traces	1,8	1,3
Capric Acid	1,3	5,1	3,0
Lauric Acid	3,1	6,2	3,6
Myristinic Acid	5,1	5,7	9,5
Palmitin Acid	20,2	23,8	26,3
Stearic Acid	5,9	2,3	14,6

Thus, the qualitative differences in the physical properties of fat and fatty acid composition of mare's milk compared with cow's milk are more noticeable. This is especially true for the physical properties of mare's milk fat, density, melting point and solidification, which are very important in nutrition, as well as for the content of mono-, polyunsaturated fatty acids, which characterize the high therapeutic value of milk fat. Their presence in the human diet is extremely important, since they are not synthesized in the body and have therapeutic and vitamin properties. Such fat in the stomach, intestines is easily emulsified, easier to digest, assimilate, the tension of digestive glands decreases [1, 13, 14].

Carbohydrates in mare's milk are mainly lactose, but a number of monosaccharides, particularly, glucose and maltose have been found in mare's milk during chromatography. It is known that milk sugar also differs in the structure of lactose. For example, breast milk predominantly contains β -lactoses, while cow's milk contains α -lactose. Thinking into account the similarity of mare's milk and breast's milk in terms of the total amount of carbohydrates, as well as other parameters of physicochemical properties, we can conclude that lactose of mare's milk consists mainly of β -lactoses [1, 15].

Table 6 – Lactose Content of Different Types of Milk (g/100 g)

	Lactose Content
Breast Milk	6,5
Mare's Milk	5,2

β -Lactose in the small intestine, in contrast to α -lactose, is absorbed more slowly, therefore it has time to enter the large intestine, where it stimulates the growth of microflora, mainly Gram-positive bacteria, characteristic of the intestine. Thus, β -lactoses in mare's milk has a bifidogenic effect, normalizing the microecological status of the intestine and is actually a bifido- and lactogenic prebiotic [1].

Mare's milk is unique for its vitamin and mineral composition, which is closest to the maternal breast milk. Saumal is rich in A, B, D, E vitamins, as well as vital trace elements (Ca, K, Na, I, Co, Zn, Mn, Cu, Fe, Al). It is the champion among animal products in terms of vitamin C content (250 ml is the daily dose for humans) [11]. Besides, Croatian scientists proved the presence of Cr, Li, Mo, Sb, Sr and Fr in the composition of Saumal [16].

Mare's milk contains more vitamins E, B, B12, and niacin than cow's milk. The physiological combination of these vitamins with ascorbic acid is probably one of the mechanisms of the beneficial effect of Saumal on chronic diseases [1, 10].

Thus, the above mentioned qualitative composition of mare's milk allows to make a conclusion that the unique and optimally balanced composition of biological components of Saumal makes this product an important complex component of the prevention and treatment of a wide range of diseases with different etiologies. Saumal can contribute to the restoration of impaired functions of damaged organs, tissues, and play a pathogenetic role, especially in chronic diseases of the digestive system.

According to the leading scientists of Kazakhstan and European countries, Saumal has an incredible potential in the treatment of the most common diseases of the digestive system. It is considered a therapeutic product and is used in the treatment of metabolic disorders, as a means of preventing colds and curing cancer. Mare's milk improves blood circulation, increases male potency, accelerates the process of organ regeneration, increases hemoglobin, regulates the immune status, slows down the aging process.

Healing drink is recommended for diseases of the stomach, liver, intestines, skin, immune system disorders, treatment of peptic ulcer disease. Positive results were obtained by using whole mare's milk in the treatment of patients with chronic hepatitis.

Further, we present examples of recent clinical studies on the therapeutic properties of mare's milk. In 2005, a study was carried out with patients suffering from eczema at the Jena University Dermatological Clinic (Germany). The effect of mare's milk on the severity of eczema, intestinal microflora and on immunological parameters was studied. Patients took 250 ml of Mare's milk daily in control from placebo for 16 weeks. As a result, the symptoms (itching and hyperemia) of the disease faded in 1/3 of the study participants up to 30–55%. In these patients, the proportion of bifidobacteria in the stool increased 8 times. Thanks to regular consumption of mare's milk, some patients were able to reduce or even stop taking their medicine [10, 12].

In 2009, patients with Crohn's disease and ulcerative colitis (University of Jena, Germany) participated in the clinical study. During 8 weeks the young participants took 250 ml of mare's milk two times a day in the control with placebo. As a result, mare's milk helped to calm the pain, reduce the amount of blood in the stool, and reduce the consumption of essential medicines [10, 12].

In an anonymous questionnaire survey on the intake of mare's milk from 500 respondents who regularly took Saumal for a long time, doctors confirmed the efficacy of mare's milk intake in skin and intestinal diseases. Consumers with skin diseases in 91% of cases showed improvement: inflammation decreased, itching calmed down, and sleep improved. Also, 74% of patients with intestinal, respiratory, liver, cancer, cardiovascular and other diseases had positive effects. Thanks to regular consumption of mare's milk, some patients were able to reduce or even stop taking their medication [10, 12].

European experts state on the basis of research that “Mare's milk is one of the healthiest and most nutritious and healthy drinks that nature has to offer us”.

Despite the fact that mare's milk is recognized as a dietary and therapeutic product all over the world, there are currently no large-scale clinical and research works on therapeutic properties of mare's milk in the literature. The possibilities of using mare's milk in the diet therapy of specific nosological forms have not been studied at all, in particular, in the pathology of the cardiovascular system, digestive organs, hepatobiliary system and urological diseases [1]. The reason for this may be not only the poor awareness of the therapeutic properties of mare's milk among the medical and scientific community, but also the instability of the product itself. Mare's milk after milking, when exposed to air, begins to oxidize, and after 3-4 hours (at room temperature) it becomes no longer suitable for consumption [1]. Therefore, new technologies for the production of mare's milk are now required, while preserving therapeutic and dietary qualities of the product for the long term.

The solution to this issue is to create a sublimated pasteurized mare's milk, which has a long shelf life, even at room temperature. The process of sublimation is that the mare's milk is frozen at a temperature of -55 °C, and then ice under certain conditions, bypassing the liquid phase, evaporated, i.e. there is a certain canning of mare's milk with the help of negative temperatures. At the same time, the qualitative composition of mare's milk is preserved to the maximum extent, respectively, and its therapeutic property. In addition, the dried mare's milk quickly recovers when dissolved in water in certain proportions.

Pasteurization helps to ensure product safety not only for adults, but also for children and pregnant women. Currently, this sublimated mare's milk is produced by Kazakhstani entrepreneurs of Eurasia Invest Ltd LLP, which is implementing a large-scale program for the production of mare's milk with the participation of a large German horse-breeding company Hans Zollmann. Each process of production of biomilk in this company is certified, and the products fully comply with European quality standards [17].

The benefits of Sublimated Mare's Milk (SMM) have been proven by numerous clinical and laboratory studies by reputable international medical organizations. National Research Medical Organizations of Kazakhstan confirm the conclusions of their foreign colleagues. Clinical studies of the therapeutic and dietary properties of SMM in non-alcoholic steatohepatitis, cirrhosis of the liver of various etiologies, psoriasis, and pediatrics are currently being conducted in the country. The results of the study after the completion will be published in domestic and foreign literary sources.

People who have already tried SMM note its effective impact in everyday life in the form of the normalizing the stool, improving the quality of sleep and appetite, and feeling vivacity. The general tonic effect of mare's milk allows it to be used in the so-called "chronic fatigue syndrome", in recovery from injuries, operations (or in preparation for them), intensive sports training, etc.

SMM is also applicable in cosmetology – regular consumption of mare's milk strengthens the hair follicle, improves hair structure, gives shine and volume, accelerates growth. Regular consumption of the product normalizes the function of the sebaceous glands, improves skin elasticity and color.

Thus, the study of therapeutic and dietary properties of mare's milk will continue not only abroad, but also in its historical homeland – Kazakhstan. Systematic ingestion of mare's milk in the diet can increase the effectiveness of treatment and prevention of various diseases, improve the immune system function, prevent cancer and prolong active longevity.

**Б. Р. Бимбетов¹, А. К. Жангабылов², С. Е. Айтбаева³, В. В. Бенберин¹, Г. Цольман⁴,
А. Т. Мусаев⁵, М. К. Рахимжанова⁶, Г. С. Есназарова², А. Бақытжанұлы³, Н. С. Малаева¹**

¹РГП «Больница медицинского центра» Управления делами Президента РК, Нур-Султан, Казахстан,

²Казахстанско-Российский медицинский университет, Алматы, Казахстан,

³АО «Медицинский университет Астана», Нур-Султан, Казахстан,

⁴«Kurgestüt Hoher Odenwald», Вальдбрунн-Мюльбен, Германия,

⁵Казахский национальный медицинский университет

им. С. Д. Асфендиярова, Алматы, Казахстан,

⁶Кооперативный фонд «University Medical Center», Нур-Султан, Казахстан

КОБЫЛЬЕ МОЛОКО: ЛЕЧЕБНО-ДИЕТИЧЕСКИЕ СВОЙСТВА

(обзорная статья)

Аннотация. Обзорная статья посвящена лечебно-диетическим свойствам кобыльего молока. Проведен литературный обзор, приведены исторические факты применения данного продукта при различных заболеваниях и состояниях, описаны качественный состав молока и проведенные научные исследования зарубежных и отечественных авторов о применении кобыльего молока как лечебно-диетического продукта. Масштабное производство сублимированного пастеризованного кобыльего молока в Казахстане даст новый толчок в расширении проведения клинических исследований в различных аспектах и применении данного продукта с длительным сроком хранения.

Ключевые слова: кобылье молоко, лечебно-диетические свойства кобыльего молока, сублимированное кобылье молоко.

**Б. Р. Биімбетов¹, А. К. Жангабылов², С. Е. Айтбаева³, В. В. Бенберин¹, Г. Цольман⁴,
А. Т. Мусаев⁵, М. К. Рахимжанова⁶, Г. С. Есназарова², А. Бақытжанұлы³, Н. С. Малаева¹**

¹ҚР Президенті Іс басқармасының РМК «Медициналық орталық ауруханасы», Нұр-Сұлтан, Қазақстан,

²Қазақстан-Ресей медицина университеті, Алматы, Қазақстан,

³«Астана медицина Университеті» АҚ, Нұр-Сұлтан, Қазақстан,

⁴«Kurgestüt Hoher Odenwald», Вальдбрунн-Мюльбен, Германия,

⁵С. Д. Асфендияров атындағы Қазақ ұлттық медицина университеті, Алматы, Қазақстан,

⁶«University Medical Center» Кооперативтік қоры, Нұр-Сұлтан, Қазақстан

БИЕ СҮТІ: ЕМДІК ҚАСИЕТТЕРІ (шолу мақала)

Аннотация. Мақала бие сүтінің емдік қасиеті жайында, әдеби шолу жасалған. Саумалды әртүрлі сырқаттар мен жағдайлар кезінде қолдану жөнінде маңызды тарихи деректер келтірілген. Бие сүтінің құрамы

мен ол жайында отандық және шет елдік ғалымдардың оның емдік қасиеті жайында жүргізген ғылыми зерттеу жұмыстары жайында мәліметтер келтірілген. Қазақстанда ірі көлемде сублимацияланған және пастерленген құрғақ бие сүтін өндіру зор маңызға ие. Бұл технология саумалдың сақтау мерзімін ұзартып қана қоймай, әр түрлі саладағы клиникалық зерттеу жұмыстарын кең көлемде жүргізуге септігін тигізеді.

Түйін сөздер: бие сүті, бие сүтінің емдік қасиеті, сублимацияланған бие сүті.

Information about authors:

Bimbetov Bakytzhan Riskulovich, MD, professor. RSE "Hospital of the Medical Center" of the Department of Affairs President of the Republic of Kazakhstan, Nur-Sultan, Kazakhstan; bimbetov2010@mail.ru

Zhangabylov Abay Zn., MD, professor, head of the Department of internal diseases of Kazakh-Russian medical university, Almaty, Kazakhstan; czhanak@mail.ru; <https://orcid.org/0000-0002-0803-9802>

Aitbaeva Saule E., PhD, docent of the Department of preventive medicine and nutrition of JSC «Medical University of Astana», Nur-Sultan, Kazakhstan; s.potai95@mail.ru; <https://orcid.org/0000-0002-1309-286X>

Benberin Valery V., MD, professor, Head of the «Hospital of the Medical Center of the Department of Affairs President of the Republic of Kazakhstan», Nur-Sultan, Kazakhstan; valeriy-benberin@mail.ru; <https://orcid.org/0000-0002-7286-1593>

Zollmann Hans, Head of the Company «Kurgestüt Hoher Odenwald», Waldbrunn-Mülben, Germany; h.zollmann@kurgestuet.de; <https://orcid.org/0000-0003-4304-1905>

Musaev Abdugani T., professor of “Emergency Medical Care” S.D. Asfendiyarov Kazakh National Medical University, Almaty, Kazakhstan; musaev.dr@mail.ru; <https://orcid.org/0000-0001-7782-6255>

Rakhimzhanova Marzhan K., therapist of the Corporate found of «University Medical Center», Nur-Sultan, Kazakhstan; rakhimzhanova.m@gmail.com; <https://orcid.org/0000-0001-5127-9599>

Esnazarova Gulnar S., docent of the Department of internal diseases of Kazakh-Russian medical university, Almaty, Kazakhstan; esnazarova54@gmail.com; <https://orcid.org/0000-0002-4624-8357>

Bakytzhanuly Abay, therapist, doctoral student PhD of the JSC "Medical University of Astana", Nur-Sultan, Kazakhstan; mantitort@mail.ru; <https://orcid.org/0000-0001-7816-7327>

Malaeva Nazgul S., gastroenterologist of the Hospital of the Medical Center" of the Department of Affairs President of the Republic of Kazakhstan, Nur-Sultan, Kazakhstan; nazga888@mail.ru; <https://orcid.org/0000-0003-4976-9526>

REFERENCES

- [1] Zhangabylov A.K. Saumal, kumys – isceljajushhie svojstva. Almaty: Dajk-Press, 2015. 182 p.
- [2] New York Times. 3/18/2009. Vol. 158. Issue 54618. P. 26.
- [3] IQAP.KZ – onlajn-zhurnal o duhovno-nravstvennom nasledii Velikoj Stepi, 19/10/2017 00:01.
- [4] Mare's milk // New Scientist, UK. 02624079, 6/16/2007, Vol. 194, Issue 2608,
- [5] Gladkova E.E. Jeleksir voinov i mladencev.<http://avtorskie.by/products>
- [6] Kudajarova R.R., Gil'mutdinova L.T., Jamaletdinov K.S., Gil'mutdinov A.R., Gabelhakova L.T., Zinnatullin R.H. Istoricheskie aspekty primenenija kumysa v medicine // Bjulleten' sibirskoj mediciny. 2010. N 5. P. 186-190.
- [7] Malacarne M., et al. Protein and fat composition of mare's milk: some nutritional remarks with reference to human and cow's milk // International Dairy Journal. 2002. Vol. 12, N 11. P. 869-877.
- [8] Businco L., et al. Allergenicity of mare's milk in children with cow's milk allergy // Journal of Allergy and Clinical Immunology. 2000. Vol. 105, N 5. P. 1031-1034.
- [9] Priv.-Doz. Dr. R. Schubert. Stutenmilch-diätetische Eigenschaften. Friedrich-Schiller-Universität Jena.
- [10] <http://avtorskie.by/products>
- [11] Markiewicz-Kęszycka Maria, Wójtowski Jacek, Czyżak-Runowska, Grażyna et al. Concentration of selected fatty acids, fat-soluble vitamins and β -carotene in late lactation mares' milk // International Dairy Journal Sep2014.
- [12] <http://congressminsk.by/congress1february2015/кобылье-молоко-и-кумыс>
- [13] Haddad Imen, Mozzon Massimo, Strabbioli Rosanna, et al. Fatty acid composition and regiodistribution in mare's milk triacylglycerols at different lactation stages // Dairy Science & Technology. Jul2011. Vol. 91. Issue 4. P. 397-412.
- [14] Hoffman Rhonda M., Kronfeld David S., Herbein Joseph H. et al. // Journal of Nutrition. Dec1998. Vol. 128. Issue 12. P. 2708S-2711S.
- [15] Mjet'ju Shakal, Jendru Brezovečki, Nataša Mikulec, Neven Antunac. Sostav i svojstva kobyly'ego moloka horvatskogo porodny loshadej. Zagrebkiy universitet. Departament Dairy Science. Zagreb, Horvatija.
- [16] Nina Bilandžić, Mjeri Sedak, Đokić, Ivana Varenina, et al. Koncentracii mikrojelementov Al, Co, Cr, Li, Mo, Ni, Sb i Sr v moloke kobyly Horvatskoj porodny Coldblood. Laboratory for Residue Control, Department for Veterinary Public Health, Croatian Veterinary Institute, Zagreb, Croatia.
- [17] <http://www.saumal.kz>

**Publication Ethics and Publication Malpractice
in the journals of the National Academy of Sciences of the Republic of Kazakhstan**

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайте:

www.nauka-nanrk.kz

ISSN 2518-1467 (Online), ISSN 1991-3494 (Print)

<http://www.bulletin-science.kz/index.php/en/>

Редакторы *М. С. Ахметова, Т. М. Апендиев, Д. С. Аленов*
Верстка на компьютере *Д. Н. Калкабековой*

Подписано в печать 10.06.2019.

Формат 60x881/8. Бумага офсетная. Печать – ризограф.
12,7 п.л. Тираж 500. Заказ 3.