

**ISSN 2518-1467 (Online),
ISSN 1991-3494 (Print)**

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ФЫЛЫМ АКАДЕМИЯСЫНЫҢ

Х А Б А Р Ш Ы С Ы

ВЕСТНИК

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН

THE BULLETIN

THE NATIONAL ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN

PUBLISHED SINCE 1944

4

JULY – AUGUST 2019

ALMATY, NAS RK

NAS RK is pleased to announce that Bulletin of NAS RK scientific journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of Bulletin of NAS RK in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential multidiscipline content to our community.

Қазақстан Республикасы Ұлттық ғылым академиясы "ҚР ҰҒА Хабаршысы" ғылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруды. Web of Science зерттеушілер, авторлар, баспашилар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабаршысының Emerging Sources Citation Index-ке енүі біздің қоғамдастық үшін ең өзекті және беделді мультидисциплинарлы контентке адалдығымызды білдіреді.

НАН РК сообщает, что научный журнал «Вестник НАН РК» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество и глубину контента для исследователей, авторов, издателей и учреждений. Включение Вестника НАН РК в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному мультидисциплинарному контенту для нашего сообщества.

Бас редакторы
х. ф. д., проф., КР ҮҒА академигі
М. Ж. Жұрынов

Редакция алқасы:

Абиев Р.Ш. проф. (Ресей)
Абишев М.Е. проф., корр.-мүшесі (Қазақстан)
Аврамов К.В. проф. (Украина)
Аппель Юрген проф. (Германия)
Баймуқанов Д.А. проф., корр.-мүшесі (Қазақстан)
Байтулин И.О. проф., академик (Қазақстан)
Банас Йозеф проф. (Польша)
Берсимбаев Р.И. проф., академик (Қазақстан)
Велесько С. проф. (Германия)
Велихов Е.П. проф., РҒА академигі (Ресей)
Гашимзаде Ф. проф., академик (Әзіrbайжан)
Гончарук В.В. проф., академик (Украина)
Давлетов А.Е. проф., корр.-мүшесі (Қазақстан)
Джрабашян Р.Т. проф., академик (Армения)
Қалимолдаев М.Н. проф., академик (Қазақстан), бас ред. орынбасары
Лаверов Н.П. проф., академик РАН (Россия)
Лупашку Ф. проф., корр.-мүшесі (Молдова)
Моҳд Ҳасан Селамат проф. (Малайзия)
Мырхалықов Ж.У. проф., академик (Қазақстан)
Новак Изабелла проф. (Польша)
Огарь Н.П. проф., корр.-мүшесі (Қазақстан)
Полещук О.Х. проф. (Ресей)
Поняев А.И. проф. (Ресей)
Сагиан А.С. проф., академик (Армения)
Сатубалдин С.С. проф., академик (Қазақстан)
Таткеева Г.Г. проф., корр.-мүшесі (Қазақстан)
Үмбетаев И. проф., академик (Қазақстан)
Хрипунов Г.С. проф. (Украина)
Юлдашбаев Ю.А. проф., РҒА корр-мүшесі (Ресей)
Якубова М.М. проф., академик (Тәжікстан)

«Қазақстан Республикасы Үлттық ғылым академиясының Хабаршысы».

ISSN 2518-1467 (Online),

ISSN 1991-3494 (Print)

Меншіктенуші: «Қазақстан Республикасының Үлттық ғылым академиясы» РКБ (Алматы қ.)

Қазақстан республикасының Мәдениет пен ақпарат министрлігінің Ақпарат және мұрагат комитетінде 01.06.2006 ж. берілген №5551-Ж мерзімдік басылым тіркеуіне қойылу туралы куәлік

Мерзімділігі: жылдана 6 рет.

Тиражы: 2000 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., 220, тел.: 272-13-19, 272-13-18,
<http://www.bulletin-science.kz/index.php/en/>

© Қазақстан Республикасының Үлттық ғылым академиясы, 2019

Типографияның мекенжайы: «Аруна» ЖҚ, Алматы қ., Муратбаева көш., 75.

Г л а в н ы й р е д а к т о р

д. х. н., проф. академик НАН РК

М. Ж. Журинов

Р е д а к ц и о н на я кол л е г и я:

Абиев Р.Ш. проф. (Россия)
Абишев М.Е. проф., член-корр. (Казахстан)
Аврамов К.В. проф. (Украина)
Аппель Юрген проф. (Германия)
Баймukanов Д.А. проф., чл.-корр. (Казахстан)
Байтулин И.О. проф., академик (Казахстан)
Банас Иозеф проф. (Польша)
Берсимбаев Р.И. проф., академик (Казахстан)
Велесько С. проф. (Германия)
Велихов Е.П. проф., академик РАН (Россия)
Гашимзаде Ф. проф., академик (Азербайджан)
Гончарук В.В. проф., академик (Украина)
Давлетов А.Е. проф., чл.-корр. (Казахстан)
Джрабашян Р.Т. проф., академик (Армения)
Калимолдаев М.Н. академик (Казахстан), зам. гл. ред.
Лаверов Н.П. проф., академик РАН (Россия)
Лупашку Ф. проф., чл.-корр. (Молдова)
Мохд Хасан Селамат проф. (Малайзия)
Мырхалыков Ж.У. проф., академик (Казахстан)
Новак Изабелла проф. (Польша)
Огарь Н.П. проф., чл.-корр. (Казахстан)
Полещук О.Х. проф. (Россия)
Поняев А.И. проф. (Россия)
Сагиян А.С. проф., академик (Армения)
Сатубалдин С.С. проф., академик (Казахстан)
Таткеева Г.Г. проф., чл.-корр. (Казахстан)
Умбетаев И. проф., академик (Казахстан)
Хрипунов Г.С. проф. (Украина)
Юлдашбаев Ю.А. проф., член-корр. РАН (Россия)
Якубова М.М. проф., академик (Таджикистан)

«Вестник Национальной академии наук Республики Казахстан».

ISSN 2518-1467 (Online),
ISSN 1991-3494 (Print)

Собственник: РОО «Национальная академия наук Республики Казахстан» (г. Алматы)

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов Министерства культуры и информации Республики Казахстан №5551-Ж, выданное 01.06.2006 г.

Периодичность: 6 раз в год

Тираж: 2000 экземпляров

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, ком. 219, 220, тел. 272-13-19, 272-13-18.

www: nauka-nanrk.kz, bulletin-science.kz

© Национальная академия наук Республики Казахстан, 2019

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75

E d i t o r i n c h i e f

doctor of chemistry, professor, academician of NAS RK

M. Zh. Zhurinov

E d i t o r i a l b o a r d:

Abiyev R.Sh. prof. (Russia)
Abishev M.Ye. prof., corr. member. (Kazakhstan)
Avramov K.V. prof. (Ukraine)
Appel Jurgen, prof. (Germany)
Baimukanov D.A. prof., corr. member. (Kazakhstan)
Baitullin I.O. prof., academician (Kazakhstan)
Joseph Banas, prof. (Poland)
Bersimbayev R.I. prof., academician (Kazakhstan)
Velesco S., prof. (Germany)
Velikhov Ye.P. prof., academician of RAS (Russia)
Gashimzade F. prof., academician (Azerbaijan)
Goncharuk V.V. prof., academician (Ukraine)
Davletov A.Ye. prof., corr. member. (Kazakhstan)
Dzhrbashian R.T. prof., academician (Armenia)
Kalimoldayev M.N. prof., academician (Kazakhstan), deputy editor in chief
Laverov N.P. prof., academician of RAS (Russia)
Lupashku F. prof., corr. member. (Moldova)
Mohd Hassan Selamat, prof. (Malaysia)
Myrkhalykov Zh.U. prof., academician (Kazakhstan)
Nowak Isabella, prof. (Poland)
Ogar N.P. prof., corr. member. (Kazakhstan)
Poleshchuk O.Kh. prof. (Russia)
Ponyaev A.I. prof. (Russia)
Sagyan A.S. prof., academician (Armenia)
Satubaldin S.S. prof., academician (Kazakhstan)
Tatkeyeva G.G. prof., corr. member. (Kazakhstan)
Umbetayev I. prof., academician (Kazakhstan)
Khripunov G.S. prof. (Ukraine)
Yuldasbayev Y.A., prof. corresponding member of RAS (Russia)
Yakubova M.M. prof., academician (Tadzhikistan)

Bulletin of the National Academy of Sciences of the Republic of Kazakhstan.

ISSN 2518-1467 (Online),

ISSN 1991-3494 (Print)

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty)

The certificate of registration of a periodic printed publication in the Committee of Information and Archives of the Ministry of Culture and Information of the Republic of Kazakhstan N 5551-Ж, issued 01.06.2006

Periodicity: 6 times a year

Circulation: 2000 copies

Editorial address: 28, Shevchenko str., of. 219, 220, Almaty, 050010, tel. 272-13-19, 272-13-18,
<http://nauka-namrk.kz/>, <http://bulletin-science.kz>

© National Academy of Sciences of the Republic of Kazakhstan, 2019

Address of printing house: ST "Aruna", 75, Muratbayev str, Almaty

**BULLETIN OF NATIONAL ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN**

ISSN 1991-3494

Volume 4, Number 380 (2019), 211 – 216

<https://doi.org/10.32014/2019.2518-1467.112>

UDC 541.13

**A. K. Mamyrbekov¹, M. K. Kassymova², A. B. Bayeshov³,
A. K. Mamyrbekova¹, A. D. Mamitova², O. N. Chechina⁴**

¹A. Yassawi International kazakh-turkish university, Turkestan, Kazakhstan,

²M. Auezov South Kazakhstan state university, Shymkent, Kazakhstan,

³D. V. Sokolsky institute of fuel, catalysis and electrochemistry, Almaty, Kazakhstan,

⁴Samara state technical university, Samara, Russia.

E-mail: aigul.mamyrbekova@ayu.edu.kz, mahabbat_67@mail.ru, bayeshov@mail.ru,
aizhan.mamyrbekova@ayu.edu.kz, a-mamitova@mail.ru, chechinao@yandex.ru

SYNTHESIS AND PHYSICOCHEMICAL PROPERTIES OF ACETYLENE AMINO ALCOHOLS

Abstract. The article is given an overview of publications devoted to the synthesis of acetylenic amino alcohols and the possibility of obtaining on their basis of microbiologically active compounds by interaction with phenyl isocyanate and phenyl isothiocyanate. Acetylene amino alcohols having not only biological activity, but also other valuable properties, are also the basis for obtaining their derivatives. The yield of derivatives of acetylene amino alcohols by Manich reaction was 66-73%. Implementation of the reaction at high temperature leads to the passing of side processes, in particular, the decomposition of acetylene alcohols, resin formation and others.


Absorption spectra corresponding to functional groups and bonds of acetylene amino alcohols are observed on IR spectra. Physical and chemical characteristics of acetylene amino alcohols were determined: boiling point, chromatographic characteristics of R_f substance, elemental composition of carbon, hydrogen, nitrogen (mass.) and gross formulas.

Key words: acetylene amino alcohols, carbamic acids, carbamates, thiocarbamates, microbiological activity.


Introduction. From the point of view of various specific properties of compounds, compounds with an amino group in the composition of which there is an acetylene bond are of particular interest [1-6], because among them there are compounds that differ in chemical, physiological and biological properties.

One of the most important ways to produce amino acids in the acetylene range is the amino methylation reaction of the German chemist Karl Mannich. To continue this reaction, you need three components - the first substrate to be used for aminomethylation (in our case, acetylenic alcohol), the second is carbonyl (formaldehyde in our case), and the third is the amino component (in our case, dialkyl (diaryl) amines) [7-9]. As a result of the reaction, the product of aminomethylation is formed and water, the so-called Mannich base.

V. Nazarov and his colleagues approve that vinyl acetylene homologs do not react with amines and paraffin even with prolonged heating at atmospheric pressure, but when introduced into the reaction medium in a catalytic amount of iron salts (FeCl₃), the reaction occurs easily and gets amino acid derivatives in good yields (up to 90%) [10]:




The interaction of amines of acetylene alcohols with paraformam has been the themes of many studies. E. Jones and his colleagues obtained the corresponding acetylenic amino acids with a small yield by the interaction of α-ethynylcarbinol with trioxymethylene and secondary amines [11]:



These alcohol acetates under the reaction conditions of Mannich give acetylenic amino alcohols in high yield (50-90%). Based on these data, the authors concluded that it inhibits the reactions of the hydroxyl group in α -conditions, close to the three bonds of acetylene alcohol.


I.N. Nazarov and G.A. Schwechheimer [12] approve that in the presence of an excess amount of paraffin compared to equimol when heated amine with dioxane, are formed esters of acetylene and amine in good yields (56-96%).



The reactions of aminomethylation of acetylenic alcohols, benzoates and phenoxyacetates have also been investigated, and it has been proven that the Mannich reaction going hard with benzoate, especially phenoxyacetates, compared to acetates [13].


G.A. Schwechheimer [14] proposed a method for the aminomethylation of acetylenic alcohols with acetals. Given that acetals, acetylenic alcohols are easily formed, and saponified after the mannich reaction, this method is advantageous and can be widely used. However, all the methods described above, when performing the Mannich reaction, protection of the hydroxyl groups of acetylene alcohols is required, and after the saponification reaction for obtain an amino acetylenic alcohol with a free hydroxyl group, it prolongs the reaction by several stages for obtain the desired end product.


Therefore, in our opinion, recommended N.M. Liebman and S.G. Kuznetsov method of amino-methylation of acetylene alcohols is convenient [15]:



These authors carefully studied the situation with the Mannich reaction and concluded that the reaction of aminomethylation easily occurs with the use of copper salt (I) as a catalyst for hydrogen atoms near the triple bond of acetylene alcohol. According to these scientists, in the case of the Mannich reaction, the process of aminomethylation is always accompanied by one valence copper (possibly with the formation of intermediate copper acetylidyde). If during the synthesis copper (II), with the help of formaldehyde, is reduced to copper (I) (in alkaline medium) then its catalytic capacity at the beginning of the reaction will probably be the same with copper (I). It has been established that in a neutral and weakly acidic medium (using the amine salt), the transition from copper (II) to copper (I) will be difficult and the yield of the reaction product decreases. The content of the catalyst has little effect on the reaction.


I.N. Azerbayev and his colleagues [16–18] proposed a convenient method for obtaining various acetylene amines by decomposing the amino alcohols of amino acetylene and diacetylene, followed by aminomethylation of the obtained products:





Although aminomethylation of acetylene compounds using the Mannich reaction is widely used at the laboratory level, its mechanism has not yet been confirmed by organic scientists.

The hypothesis that the aforementioned condensation reaction is accompanied by the formation of an intermediate product of amine and formaldehyde may be testified producing an acetylenic base directly from methylolamines and acetylenes [19]:




According to I.N. Azerbaev and his colleagues compared to hydrogen atoms near triple bonds in the composition of vinyl acetylene and vinyl acetylene, hydrogen atoms near triple bond in the composition of acetylene alcohols, are non-active under Mannich reaction conditions. In these cases, for reduce the activation energy of acetylenic compounds with using only the copper compound as a catalyst, they are involved in the condensation reaction with paraffin and secondary amines.

The synthesis of cycloalkyl and aryl derivatives of acetylenic amino alcohol and their holonolitic properties were studied in order to search for biologically active compounds. There is evidence that, when a carbon atom is replaced near the carboxyl groups with cycloalkyl, the biological activities of cycloalkyl derivatives of acetylene amino alcohols may be higher and more toxic compared to aryl derivatives [20].

The authors of [21], continuing the search for biologically active compounds, were synthesized succinates, sulfonates, tartrates and adipates of pyrrolidine and rows of piperidines, and were established that the cholinolytic properties of cyclopentyl and cyclohexyl derivatives are high.

Thus, acetylenic amino alcohols are not only biologically active, but are also the basis for obtaining derivatives with useful properties, and are capable of having such properties. In this regard, these compounds are of great interest.

Methods. Some amino alcohols have been obtained by aminomethylating acetylenic alcohols using Mannich reaction. For aminomethylation of acetylenic alcohols in the presence of formaldehyde, diphenylamine reacts with morpholine



where:

$$\text{R} = \text{R}' = -\text{CH}_3, \text{R}'' + \text{R}''' = -(-\text{CH}_2)_2\text{O}(-\text{CH}_2)_2- \quad (\text{I})$$

$$\text{R} = -\text{CH}_3, \text{R}' = -\text{C}_2\text{H}_5, \text{R}'' + \text{R}''' = -(-\text{CH}_2)_2\text{O}(-\text{CH}_2)_2- \quad (\text{II})$$

$$\text{R} = \text{R}' = -\text{CH}_3, \text{R}'' = \text{R}''' = -\text{C}_6\text{H}_5 \quad (\text{III})$$

$$\text{R} = -\text{CH}_3, \text{R}' = -\text{C}_2\text{H}_5, \text{R}'' = \text{R}''' = -\text{C}_6\text{H}_5 \quad (\text{IV})$$

Carried out the reaction of aminomethylation in a dehydrated medium of dioxane while heating at the temperature of 80-90°C. As catalyst used is freshly prepared copper chloride.

Results and discussions. In tables 1 and 2 are presented the physics-chemical characteristics of the obtained acetylene aminoalcohols.




Table 1 – Physicochemical characteristics of the obtained acetylene aminoalcohols

| Compound ordinal № | R | R' | R'' | Output, % | $t_{\text{heat.}}^{\circ}, ^{\circ}\text{C}/\text{mm. mercury column}$ | R_f |
|--------------------|------------------|--------------------------------|---|-----------|--|-------|
| I | -CH ₃ | -CH ₃ | (R'') ₂ =-(CH ₂) ₂ -O-(CH ₂) ₂ | 72 | 128/4 | 0,31 |
| II | -CH ₃ | -C ₂ H ₅ | (R'') ₂ =-(CH ₂) ₂ -O-(CH ₂) ₂ | 67 | 125/3 | 0,27 |
| III | -CH ₃ | -CH ₃ | -C ₆ H ₅ | 73 | 127/3 | 0,36 |
| IV | -CH ₃ | -C ₂ H ₅ | -C ₆ H ₅ | 66 | 126/3 | 0,31 |

Table 2 – Elemental composition of acetylenic amino alcohols

| Compound ordinal № | found, % | | | Brutto formula | calculated, % | | |
|--------------------|----------|------|------|---|---------------|------|------|
| | C | H | N | | C | H | N |
| I | 65,62 | 9,33 | 7,72 | C ₁₀ H ₁₇ NO ₂ | 65,57 | 9,29 | 7,65 |
| II | 67,30 | 9,71 | 7,20 | C ₁₁ H ₁₉ NO ₂ | 67,00 | 9,64 | 7,11 |
| III | 81,54 | 7,21 | 5,32 | C ₁₈ H ₁₉ NO | 81,51 | 7,17 | 5,28 |
| IV | 81,83 | 7,65 | 5,13 | C ₁₉ H ₂₁ NO | 81,72 | 7,53 | 5,02 |

From table 1 it can be seen that the yield of acetylenic amino alcohols at the Mannich reaction is in the range of 66-73%. Compared to acetylene alcohols, these values are slightly low. Because, in our opinion, this is due to the high temperature of the process, as well as the production of side reactions such as decomposition of acetylene alcohols, coating with resin, and other additional reactions.

Table 3 – The main absorption zone of the IR spectra of acetylenic amino alcohols

| Compound ordinal № | Connections or groups | | | | | |
|--------------------|---|------|-------|--------------------|-------------------------------|------|
| | C≡C | C-N | C-O-C | -CH ₂ - | C ₆ H ₅ | O-H |
| | Vibration of Valence Frequency, ν, sm^{-1} | | | | | |
| I | 2207 | 1219 | 1195 | 1921 | – | 3625 |
| II | 2195 | 1220 | 1185 | 1924 | – | 3614 |
| III | 2200 | 1220 | 1190 | 1923 | 1580 | 3623 |
| IV | 2213 | 1220 | 1195 | 1924 | 1585 | 3621 |

From table 3 it can be seen that, depending on the bond and the main groups, the oscillation frequency of the IR spectra of acetylene amino alcohols is shown in the characteristic vibration zones, so proves their structure.

Conclusion. Thus, the synthesis of acetylenic alcohols, glocolev and aminoalcohols is realizable processes without obstacles. With a high yield, acetylene amino alcohols under Favorsky reaction conditions in a medium of dried diethyl ether in the presence of thoroughly crushed technical potassium hydroxide at low temperature are obtained with a process of condensation of ketones with acetylene (to obtain acetylene alcohols) acetylene alcohols with ketone (to obtain symmetric and asymmetric acetylene glycals), at the conditions of Chodkiewicz-Kadio reaction of diacetylenic glycals, acetylene alcohols with bromoacetylene alcohols.

Also, with the interaction of acetylenic alcohols with formaldehyde and dialkylamines (or cyclic amines) under the conditions of the Mannich reaction in the presence of copper (I) chloride in the catalytic

content and in the medium of the dried diethyl ether can be obtained synthesis of glokolev and amino alcohols.

With this, by synthesis several acetylenic amino alcohols were obtained. Our upcoming goal is to investigate the biological properties of salt-like esters - carbamates and thiocarbamates, after synthesis obtained through interaction their with phenyl isocyanate and phenyl isothiocyanate.

Such interest is not only based on the above information, but is also related to the data obtained in recent times. For example, with French scientists were found among compounds of a substance with medicinal properties, similar the above substance [22, 23] and Chinese scientists have found carbamate compounds with high action against microorganisms [24]. Russian scientists claim that some of the carbamites have fungicidal properties significantly [25].

**А. К. Мамырбекова¹, М. К. Касымова², А. Б. Баевшов³,
А. К. Мамырбекова¹, А. Д. Мамитова², О. Н. Чечина⁴**

¹К. А. Ясауи атындағы Халықаралық қазак-түрк университеті, Түркістан, Қазақстан,

²М. Әуезов атындағы Оңтүстік Қазақстан мемлекеттік университеті, Шымкент, Қазақстан,

³Д.В. Сокольский атындағы жаңармай, катализ және электрохимия институты, Алматы,

⁴Самара мемлекеттік техникалық университеті, Самара, Россия

АЦЕТИЛЕН АМИНОСПИРТТЕРІНІҢ СИНТЕЗІ ЖӘНЕ ФИЗИКА-ХИМИЯЛЫҚ ҚАСИЕТТЕРІ

Аннотация. Мақалада ацетилен аминоспирттерін синтездеуге бағышталған жарияланымдарға шолу жасалып, оларды фенилизоцианат және фенилизотиоцианатпен әрекеттестіру арқылы микробиологиялық белсенді заттарды алу мүмкіншілігі қарастырылған. Ацетилен аминспирттері биологиялық белсенді ғана емес басқа да пайдалы қасиеттерге ие туындыларды алуға негіз болуымен қатар өздері де сондай қасиеттерге ие болуы ықтимал. Ацетилен аминспирттерінің шығымы Манних реакциясы жағдайында 66-73% аралығында болды. Реакцияның жоғары температурада жүргүйнен байланысты кейбір қосымша реакциялардың – ацетилен спиртінің ыдырауы, шайырлану және т.б. байқалды. ИК-спектрлерінде ацетилен спирттерінің функционалдық топтары мен байланыстарына тән жұтылу жолақтарының барлығы дерлік анықталды. Ацетилен аминспирттерінің физика-химиялық сипаттамалары: қайна температурасы, заттың хроматографиялық сипаттамасы R_f , көміртек, сутек, азоттың элементтік құрамы (масс.) және брутто-формулалары анықталды.

Түйін сөздер: ацетилен аминоспирттері, карбамин қышқылдары, карбаматтар, тиокарбаматтар, микробиологиялық белсенділік.

**А. К. Мамырбекова¹, М. К. Касымова², А. Б. Баевшов³,
А. К. Мамырбекова¹, А. Д. Мамитова², О. Н. Чечина⁴**

¹Международный казахско-турецкий университет им. Х.А. Ясави, Туркестан, Казахстан,

²Южно-Казахстанский государственный университет им. М. Ауэзова, Шымкент,

³Институт топлива, катализа и электрохимии им. Д.В. Сокольского, Алматы,

⁴Самарский государственный технический университет, Самара, Россия

СИНТЕЗ И ФИЗИКО-ХИМИЧЕСКИЕ СВОЙСТВА АЦЕТИЛЕНОВЫХ АМИНОСПИРТОВ

Аннотация. В статье дается обзор публикаций, посвященных синтезу ацетиленовых аминоспиртов и возможности получения на их основе микробиологически активных соединений взаимодействием с фенилизоцианатом и фенилизотиоцианатом. Ацетиленовые аминоспирты, обладающие не только биологической активностью, но и другими ценными свойствами, являются также основой для получения их производных. Выход производных ацетиленовых аминоспиртов по реакции Маннixa составил 66-73%. Осуществление реакции при высокой температуре приводит к протеканию побочных процессов, в частности, разложение ацетиленовых спиртов, смелообразование и другие. На ИК-спектрах наблюдаются спектры поглощения, соответствующие функциональным группам и связям ацетиленовых аминоспиртов. Определены физико-химические характеристики ацетиленовых аминоспиртов: температуры кипения, хроматографическая характеристика вещества R_f , элементный состав углерода, водорода, азота (масс.) и брутто-формулы.

Ключевые слова: ацетиленовые аминоспирты, карбаминовые кислоты, карбаматы, тиокарбаматы, микробиологическая активность.

Information about authors:

Mamyrbekova Aigul, candidate of chemical science, associate professor, A. Yassawi International Kazakh-Turkish university, Medicine Faculty, Turkistan, Kazakhstan; aigul.mamyrbekova@ayu.edu.kz; https://orcid.org/0000-0002-4482-9430

Kassymova M. K., candidate of chemical science, associate professor, M. Auezov South Kazakhstan state university, Textile and Food Engineering higher school, Shymkent, Kazakhstan; mahabbat_67@mail.ru; <https://orcid.org/0000-0002-4789-7148>

Bayeshov A. B., Doctor of Chemistry, Professor, academician of NAS RK, D. V. Sokolsky institute of fuel, catalysis and electrochemistry, Almaty, Kazakhstan; bayeshov@mail.ru; <https://orcid.org/0000-0003-0745-039X>

Mamyrbekova Aizhan, candidate of chemical science, associate professor, A. Yassawi International Kazakh-Turkish university, Medicine Faculty, Turkistan, Kazakhstan; aizhan.mamyrbekova@ayu.edu.kz; <https://orcid.org/0000-0003-2798-9755>

Mamitova A. D., candidate of technical science, associate professor, M. Auezov South Kazakhstan state university, Department of Biotechnology, Shymkent, Kazakhstan; a-mamitova@mail.ru

Chechina Olga N., Doctor of chemistry sciences, professor of Chair of Food Production Technology and Perfumery-Cosmetic Products, Samara state technical university, Samara, Russia; chechinol@yandex.ru

REFERENCES

- [1] Azerbaev I.N., Gusev B.P., Tatarchuk V.V. // News of Kazakh SSR Academy of Sciences, chemical series, **1974**, N 3, 87-91 (in Rus.).
- [2] Azerbaev I.N., Kasymkhanova R.F., Erzhanov K.B. Synthesis of some nicotinates of asymmetrically substituted acetylene glycols. Alma-Ata: Science, **1972**. 200 p. (in Rus.).
- [3] Pershin G.N., Milovanova S.N., Menkaure A.L., Simakova T.G., Baramova M.A., Kotliarevsky I.L. // News of Kazakh SSR Academy of Sciences, chemical series, **1970**, N 8, 1904-1908 (in Rus.).
- [4] Kotliarevskii I.L., Andrievskaia E.K., Fisher L.B. // News of Kazakh SSR Academy of Sciences, chemical series, **1985**, N 2, 397-405 (in Rus.).
- [5] Nurkenov O.A., Seilkhanov T.M., Fazylov S.D., Issayeva A.Zh., Seilkhanov O.T., Zhaksybayeva G.Sh. Obtaining and research of the supramolecular complexes of alkaloid salsoline with cyclodextrins by NMR spectroscopy // News of the National academy of sciences of the Republic of Kazakhstan. Series chemistry and technology. 2019. Vol. 1, N 433. P. 64-69. ISSN 2518-1491 (Online), ISSN 2224-5286 (Print). <https://doi.org/10.32014/2019.2518-1491.9>
- [6] Nurkenov O.A., Fazylov S.D., Issayeva A.Zh., Seilkhanov T.M., Zhivotova T.S., Shulgau Z.T., Kozhina Zh.M. Complexes of inclusion of functionally-substituted hydrasones of isonicotic acid with cyclodextrines and their antiradical activity // News of the National academy of sciences of the Republic of Kazakhstan. Series chemistry and technology. 2018. Vol. 6, N 432. P. 57-66. ISSN 2518-1491 (Online), ISSN 2224-5286 (Print). <https://doi.org/10.32014/2018.2518-1491.27>
- [7] Azerbaev I.N., Bosiakov Iu.G., Erzhanov K.B. The book the Chemistry of acetylene and calcium carbide. Alma-Ata: Science, **1972**. 245 p. (in Rus.).
- [8] Azerbaev I.N., Makanov U., Sarbaev T.G. // The Publication of Kazakh State University. Chemistry and chemical technology, **1997**, VIII, 79-84 (in Rus.).
- [9] Patent № WO2007071428-A2. Smith S., Read D. New organic compounds useful for induction of resistance in plants, and for curative/preventive control of phytopathogenic fungi and bacteria in agricultural crops e.g. Academic Press: London, UK. 1997 (in Eng.).
- [10] Nazarov I.N., Krasnaya Zh.A., Vinogradov V.P. // Russ. J. Gen. Chem., **1958**, 28, 2, 395-399 (in Rus.).
- [11] Jones E.R., Morezak J., Beder H. J. // Chem. Soc., **1947**, № 8, 1523-1527 (in Rus.).
- [12] Nazarov I.N., Shvekhgeimer G.A. // Russ. J. Gen. Chem., **1956**, 26, 3, 813-819 (in Rus.).
- [13] Nazarov I.N., Kruglikova R.I., Nikolaev G.M. // Russ. J. Gen. Chem., **1959**, 29, 3, 1859-1867 (in Rus.).
- [14] Shvekhgeimer G.A. // News of Kazakh SSR Academy of Sciences, chemical series, **1957**, № 10, 1265-1267 (in Rus.).
- [15] Libman N.M., Kuznetsov S.G. // Russ. J. Gen. Chem., **1992**, 30, 4, 1197-1201 (in Rus.).
- [16] Azerbaev I.N., Gusev B.P., Tatarchuk V.V., Shovkan' A.Ia. // Bulletin of the Academy of Sciences of the Kazakh SSR, **1964**, 4, 60-63 (in Rus.).
- [17] Azerbaev I.N., Gusev B.P., Tatarchuk V.V. // News of Kazakh SSR Academy of Sciences, chemical series, **1964**, 3, 87-91 (in Rus.).
- [18] Gusev B.P., Tatarchuk V.V., Azerbaev I.N., Kucherov V.F. // News of Kazakh SSR Academy of Sciences, chemical series, **1965**, 3, 846-851 (in Rus.).
- [19] Gusev B.P., Tatarchuk V.V., Azerbaev I.N., Kucherov V.F. // News of Kazakh SSR Academy of Sciences, chemical series, **1986**, 7, 1209-1213 (in Rus.).
- [20] Golikov S.N., Kuznetsov S.G., Libman N.M., Loktionov S.I., Zatsepin E.P. // Chemical and pharmaceutical journal, **1998**, 12, 21-25 (in Rus.).
- [21] Semenova N.N., Safonova A.A., Klochkova I.N., Noritsina M.V. // Chemical and pharmaceutical journal, **1999**, 12, 12-14 (in Rus.).
- [22] France № 2866886. 02.09.2005. Derivatives of aryl-and heteroaryl-alkylcarbamates, their preparation and use as medicines // Abouabdellan A., Bartsch Li R., Hoor-Naert Ch., Ravet A. (in Eng.).
- [23] France № 2865205. 22.07.2005 Ariloxipicolinamidei derivatives, their preparation and use in therapy // Abouabdellan A., Almario G.A., Froissant J., Hoor-Naert Ch. (in Eng.).
- [24] Yao Bin, Shen Xiao-lan, Yang Qian-hua, Xu Bing-xiang. // Acad. J. Second Mil. Med. Univ., **2005**, № 5, 558-560 (in Eng.).
- [25] Alekseeva E.O., Popkov S.V., Talismanov V.S. // Advances in chemistry and chemical technology, **2008**, 22 (6), 95-98 (in Rus.).

Publication Ethics and Publication Malpractice in the journals of the National Academy of Sciences of the Republic of Kazakhstan

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайте:

www:nauka-nanrk.kz

ISSN 2518-1467 (Online), ISSN 1991-3494 (Print)

<http://www.bulletin-science.kz/index.php/en/>

Редакторы *М. С. Ахметова, Т. М. Апендиев, Д. С. Аленов*
Верстка на компьютере *Д. Н. Калкабековой*

Подписано в печать 19.07.2019.
Формат 60x881/8. Бумага офсетная. Печать – ризограф.
15,5 п.л. Тираж 500. Заказ 4.